



BSI-495US1

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Darragh Colgan et al. : Art Unit: 3731
Serial No.: 10/046,658 : Examiner:
Filed: January 14, 2002 : Confirm No.: 3653
For: STENT DELIVERY :
SYSTEM


RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant Commissioner for Patents
Box Missing Parts
Washington, D.C. 20231

S I R :

Responsive to the Office Letter dated October 17, 2002, enclosed are
substitute drawings in compliance with 37 C.F.R. § 1.84.

Respectfully Submitted,


Jonathan H. Spadt, Reg. No. 45,122
Attorney(s) for Applicant(s)


JHS/dhm

Enclosures: (39) Sheets of Substitute Drawings
Notice to File Corrected Application Papers

Dated: October 23, 2002
P.O. Box 980
Valley Forge, PA 19482

The Assistant Commissioner for Patents is
hereby authorized to charge payment to
Deposit Account No. 18-0350 of any fees
associated with this communication.

I hereby certify that this correspondence is being deposited
with the United States Postal Service as first class mail,
with sufficient postage, in an envelope addressed to:
Assistant Commissioner for Patents, Washington, D.C.
20231 on:

10/23/02




Commissioner for Patents
Washington, DC 20231
www.uspto.gov

| APPLICATION NUMBER | FILING/RECEIPT DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|---------------------|-----------------------|------------------------|
| 10/046,658 | 01/14/2002 | Darragh Colgan | BSI-495US1 |

23122
RATNERPRESTIA
P O BOX 980
VALLEY FORGE, PA 19482-0980



CONFIRMATION NO. 3653

FORMALITIES LETTER



OC00000008961023

Date Mailed: 10/17/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch). See Figures(s) 7,22B,25A,25B.

A copy of this notice MUST be returned with the reply.

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

2002 OCT 29 10:46:58